

 imageFORMULA  
DR-6010C

**Canon**

Delighting You Always

# ***SIMPLE ADDITION TO BOOST EFFICIENCY***

*The Canon DR-6010C is an A4-size duplex scanner compact in size  
yet powerful in speed and image-processing technology.*

60 ppm

# COLOR DOCUMENT SCANNER

Business **can** be simple

Find out more at [www.canon-asia.com](http://www.canon-asia.com)

# Quickly organize and manage your digital documents at the speed your business requires



Built for businesses that need the benefits of transforming documents into high-quality digital files quickly and effectively, the exemplary design of Canon's DR-6010C speaks worlds for the ingenuity used in its creation. At the rate of one page per second, in color or black-and-white, this document scanner is capable of scanning in a fraction of the time required by traditional document scanners. The reliable speed of the DR-6010C makes it an invaluable addition to any fast-paced office environment.

## Fast and Efficient Document Handling

Despite being small enough to fit on a desktop, the Canon DR-6010C is capable of meeting all busy office requirements for document scanning quickly and effectively. The innovative design and cutting-edge technology expertly accommodates a wide variety of document sizes and types, converting with ease stacks of papers to digital format with exceptional speed and accuracy.

### ● High Speed Scanning


State-of-the-art 3-line CMOS contact image sensor technology allows the DR-6010C remarkably accurate image replication at an exceptional speed, equally fast with color and black-and-white 60 pages per minute and 120 images per minute (A4/LTR, 200 dpi, portrait). Onboard JPEG compression also reduces the amount of time previously needed to transfer data to a PC.



*Fast, one-pass color scanning at the same speed as in B&W. (A4/LTR, 200 dpi)*

### ● Various Document Sizes


DR-6010C features a versatile dual paper path that allows easy processing of diverse document types. The default U-turn path is designed for handling pages of standard, A4/LTR-size thickness, while the straight paper path can process thick items even plastic ID cards. Also, the scanner can be switched from automatic to manual sheet feeding to accommodate non-standard paper types, including multi-sheet forms printed on carbonless (NCR) paper.



*Two paper paths*

### ● Ultrasonic Double-feed Detection

Double-feeds are caught with ultrasonic sensors that detect the gap between overlapping pages. The sheets are then stopped from going through the scanner, allowing the double feed to be corrected.



*Ultrasonic Double Feed Detection*

### ● Rapid Recovery System

While other scanners require the rescanning of an entire document in the event of a misfeed or paper jam, the DR-6010C is equipped with a Rapid Recovery System that stops for the repositioning of a misfed document so that scanning may resume from where it left off.

DR-6010C




## Advanced Scanner Functions

The most intricate of image details can be captured with exquisite precision and clarity using DR-6010C's advanced efficiency-optimizing image processing functions and 600 dpi high optical resolution.

### ● Shading Mechanism

The DR-6010C performs an automatic calibration process called 'shading' prior to each scan to ensure consistent, uniform image quality.



### ● Auto Color Detection

DR-6010C is equipped with Auto Color Detection to detect whether or not a page contains color during the scanning of documents in a mixed batch. Black-and-white images are scanned in black-and-white scanning mode, and color pages in color scanning mode. This eliminates the need to separate black-and-white and color documents prior to scanning while ensuring image file sizes are kept smaller than if scanning the whole batch in color mode.

### ● 3-Dimensional Color Space Correction

The 3-Dimensional Color Correction helps the DR-6010C achieve unprecedented color accuracy, true to the original document, using an onboard color conversion chip to pinpoint the exact RGB coordinates.

### ● Advanced Image Processing

This model offers a collection of invaluable image-processing functions that optimize your document's readability and minimize the need for reprocessing.

- Auto Page Size Detection, Deskew, Skip Blank Page, Text Orientation Recognition, Color Dropout (R/G/B Custom), Moire Reduction, Prevent Bleed-Through / Remove Background, Punch Hole Removal, MultiStream, and MORE.

### ● One-touch Job Buttons

Frequently-used scanning functions, such as Scan to E-mail, can be programmed for speedy, one-touch execution. Three customizable Job buttons on the scanner's face can be easily assigned for such routine jobs using the Job Registration Tool.

## Operating Features

### Bundled Software

#### Capture Perfect

The CapturePerfect scanning application gives you a wide array of file-saving formats that make it easy to turn virtually any document into a high-quality digital image. CapturePerfect's file distribution options help boost your document management productivity. Features include: OCR functionality, PDF Encryption, file editing, Scan to Mail, Scan to Presentation, automatic file name generation, MultiStream, and other productive features.



### Kofax VirtualReScan Basic



Leading image processing software, Kofax VRS Basic, improves readability of multiple-size documents with varying degrees of quality. Automatically straighten skewed pages without character degradation, optimize a document's brightness/contrast levels, and eliminate background noise and speckling.

### ADOBE® ACROBAT®

The industry's leading PDF file creation software for making PDF files. Features robust tools including document sharing and security, file commenting, and much more.

### ● Do-it-yourself Maintenance

To ensure the best-quality performance from your Canon document scanner, rollers should be replaced every 250,000 scans. Luckily, the DR-6010C is designed with user-replaceable parts so that no service technician is required; all you need is an Exchange Roller Kit (sold separately).

### ● Energy-efficient

This device meets the ENERGY STAR Program guidelines for energy efficiency, meaning it requires less energy and costs less to run. Settings also designate when the device should enter Stand-by Mode.

### ● Barcode Decoding

A barcode module is a software option that allows the ISIS/TWAIN driver to recognize scanner barcodes (sold separately).



# DR-6010C Specifications



Type	Desktop sheet-fed scanner	
Document feeding	Automatic or manual sheet feeding	
Document size	Width: 53 - 219 mm (2.08 - 8.6 in.) Length: 70 - 356 mm (2.76 - 14 in.); Long Document Mode: up to 1,000 mm (39.3 in.)	
Document thickness and weight	U-Turn Path	Automatic feeding: 0.06 - 0.15 mm, 52 - 128 g/m <sup>2</sup> (14 - 32 lb bond) Manual Feeding: 0.05 - 0.2 mm, 42 - 157 g/m <sup>2</sup> (11 - 40 lb bond)
	Straight Path	Automatic feeding: 0.06 - 0.15 mm, 52 - 128 g/m <sup>2</sup> (14 - 32 lb bond) Manual Feeding: 0.05 - 0.66 mm, 42 - 546 g/m <sup>2</sup> (11 - 144 lb bond)
Business card size and thickness	Size: 53.9 x 85.5 mm (2.12 x 3.37 in.)	
	Thickness: 0.76 ± 0.08 mm (0.03 ± 0.003 in.)	
Feeding capacity	10 mm stack or 100 sheets of 80 g/m <sup>2</sup> (20 lb bond)	
Scanning element	3-line CMOS CIS	
Light source	LED (red, green, and blue)	
Scanning side	Simplex/Duplex	
Scanning modes	Black and White, Error Diffusion, High-Speed Text Enhancement, Advanced Text Enhancement, Advanced Text Enhancement II, 256-level Grayscale, 24-bit Color, Auto Color Detection	
Scanning resolutions	100 x 100 dpi, 150 x 150 dpi, 200 x 200 dpi, 240 x 240 dpi, 300 x 300 dpi, 400 x 400 dpi, 600 x 600 dpi	
Scanning speed* (A4/LTR, Portrait)	B&W	200 dpi: 60 ppm (Simplex), 120 ipm (Duplex)
		300 dpi: 60 ppm (Simplex), 120 ipm (Duplex)
	Grayscale	200 dpi: 60 ppm (Simplex), 120 ipm (Duplex)
		300 dpi: 60 ppm (Simplex), 120 ipm (Duplex)
Color	200 dpi: 60 ppm (Simplex), 120 ipm (Duplex)	
	300 dpi: 60 ppm (Simplex), 84 ipm (Duplex)	
Interface	SCSI-III / Hi-Speed USB 2.0	
Scanner driver	ISIS/TWAIN	
Useful functions	Job Function, Folio, Ultrasonic Double-Feed Detection, Rapid Recovery System, Moire Reduction, Prevent Bleed Through / Remove Background, Punch Hole Removal, Color Dropout, Auto Page Size Detection, Text Orientation Recognition, Skip Blank Page, Deskew, MultiStream™, Prescan, User Preferences	
Power requirements	AC220-240V(50/60Hz)	
Power consumption	200V: 30W(Scanning), 2.2W(Sleep mode)	
Operating environment	10 - 32.5°C (50 - 90.5°F), Humidity: 20 - 80% RH	
Dimensions (W x D x H)	Feed trays closed: 318 x 278 x 185.5 mm (12.5 x 10.9 x 7.3 in.)	
Weight	Approx. 6.5 kg (14.3 lb.)	
Options/Consumables	Barcode Module, Exchange Roller Kit	

\*Scanning speed may vary depending on PC environment, scanner settings, and other factors.  
Specifications are subject to change without notice.

ENERGY STAR and the ENERGY STAR mark are registered U.S. trademarks.

Adobe, the Adobe logo, Acrobat and the Adobe PDF logo are either registered trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Kofax, the Kofax Logo, and other Kofax Marks are registered trademarks or trademarks of Kofax, Inc. in the United States and other countries, and used under authority from Kofax.

Other company names and product names appearing in this brochure are the registered trademarks and/or trademarks of their respective owners.



# Canon

Delighting You Always

DEALER'S STAMP

## CONCEPT SOLUTIONS LIMITED

37th Floor,  
Sathorn Square Office Tower,  
Unit 3781, 98 North Sathorn Road,  
Silom, Bangrak, Bangkok 10500  
Tel. 0-2105-6361  
Mobile. 086-378-5288  
Fax. 0-2105-6301  
WebSite : [www.concept.co.th](http://www.concept.co.th)

## Canon's Asia Pacific Network

### ASIA PACIFIC

Canon Singapore Pte Ltd  
1 HarbourFront Avenue #04-01  
Keppel Bay Tower  
Singapore 098632  
Tel: (65) 6799 8888  
Fax: (65) 6799 8882  
[www.canon-asia.com](http://www.canon-asia.com)  
[www.canon.com.sg](http://www.canon.com.sg)

### AFGHANISTAN

TECHZONE Co. Ltd  
P.O. Box 559  
Opp. Ministry of Justice Kabul  
Afghanistan  
Tel: 0093-2-2101727  
[noorahmad1984@yahoo.com](mailto:noorahmad1984@yahoo.com)

### BANGLADESH

Flora Limited  
Adamjee Court Annex-2, 4th Fl.  
119-120, Motijheel Commercial Area  
Dhaka-1000, Bangladesh  
Tel: 9567846, 7162742-46 Ext-225  
Fax: 880-2-9550030  
[www.floralimited.com](http://www.floralimited.com)

J.A.N. Associates Ltd  
13/1, Fatema Arcade (2nd Floor)  
Road 5, Dhanmondi  
Dhaka-1205, Bangladesh  
Tel: (880) 2 8611444 / 9660601 /  
9664101/8124941  
Fax: (880) 2 8610410  
[jan@bangla.net](mailto:jan@bangla.net)  
[jan-mkt@global-bd.net](mailto:jan-mkt@global-bd.net)

### BRUNEI

Interhouse Company  
P.O. Box 423, Seri Complex BA1779,  
No. 5-7, Bunut Jaya Complex  
Spg. 574, Km 7 1/4, Jalan Tutong  
Bandar Seri Begawan BF1320  
Negara Brunei Darussalam  
Tel: (673) 2 653001  
Fax: (673) 2 653003  
[www.ihc.com.bn](http://www.ihc.com.bn)

### INDIA

Canon India Pvt Ltd  
2nd Floor, Tower A & B  
Cyber Greens, DLF Phase III  
Gurgaon - 122022 Haryana, India  
Tel: (91) 124 416 0000  
Fax: (91) 124 416 0011  
[www.canon.co.in](http://www.canon.co.in)

### INDONESIA

PT Datascrip  
Kawasan Niaga Selatan Blok B-15  
Bandar Kemayoran  
Jakarta 10610  
Indonesia  
Tel: (62) 21 6544515  
Fax: (62) 21 6544811 to 13  
[www.datascrip.com](http://www.datascrip.com)

### MALAYSIA

Canon Marketing (Malaysia) Sdn Bhd  
Block D, Peremba Square  
Saujana Resort Section U2,  
40150 Shah Alam  
Selangor Darul Ehsan, Malaysia  
Tel: (60) 3 7844 6000 / 7845 0055  
Fax: (60) 3 7844 6196 / 6198

### MALDIVES

SIMDI Office Automation / SIMDI Company Pvt Ltd  
G.Faith, Majeedhee Magu, 20-139, Male',  
Maldives  
Tel: (960) 333 4421  
Fax: (960) 333 4424  
[www.simdi.com](http://www.simdi.com)  
[ramieze@simdi.com](mailto:ramieze@simdi.com)

### MYANMAR

Accel International Co Ltd  
FJV Commercial Centre  
Level 6, No 422 - 426  
Strand Road Botataung Township  
Yangon, Myanmar  
Tel: (95) 1 202092 to 96  
Fax: (95) 1 202079

### NEPAL

International Electronics Concern Pvt Ltd  
Kha 14 1st Floor Haratibhawan Putalisadak  
Ramshah Path, Kathmandu, P.O. Box 12588  
Tel: (977) 1 4421991  
Fax: (977) 1 4421909

### PAKISTAN

Shirazi Trading Co (Pvt) Ltd  
8th Floor, Adamjee House  
I.I. Chundrigar Road  
Karachi, Pakistan  
Tel: (92) 21 2417659/2417737  
Fax: (92) 21 2417747/2420417/2420418  
[www.shirazitradng.com.pk](http://www.shirazitradng.com.pk)

### SRI LANKA

Metropolitan Computers (Pvt) Ltd  
85 Braybrooke, Place Colombo 2, Sri Lanka  
Tel: (94) 1 2437797  
Fax: (94) 1 2448980  
[www.metropolitan.lk](http://www.metropolitan.lk)

### THAILAND

Canon Marketing (Thailand) Co Ltd  
9th-10th Fl., 179/34-45 Bangkok City Tower  
South Sathorn Road  
Thungmahamek, Sathorn, Bangkok 10120  
Tel: (66) 2 344 9999  
Fax: (66) 2 344 9960  
[www.canon.co.th](http://www.canon.co.th)  
[info@canon.in.th](mailto:info@canon.in.th)

### VIETNAM

Canon Singapore Pte Ltd  
Ho Chi Minh City Representative Office  
Unit 437 - 439 - 441  
Hai Ba Trung Street, Ward 8  
District 3, Ho Chi Minh City, Vietnam  
Tel: (84) 8 820 0466  
Fax: (84) 8 820 0477  
[www.canon.com.vn](http://www.canon.com.vn)  
[cvro\\_enq@canon.com.sg](mailto:cvro_enq@canon.com.sg)

### VIETNAM

Canon Singapore Pte Ltd  
Hanoi Representative Office  
Unit 601 & 602  
Viet Au Building, 205 Giang Vo Street  
Dong Da District, Hanoi, Vietnam  
Tel: (84) 4 512 1033  
Fax: (84) 4 512 1022  
[www.canon.com.vn](http://www.canon.com.vn)  
[cvro\\_enq@canon.com.sg](mailto:cvro_enq@canon.com.sg)